Stainless Steel Corner Protection

Folded stainless steel corner protectors are made to suit the wall corner. Choose a standard folded profile or a tile-over profile coordinated with the adjoining finish.



Profile schematic only. NOT TO SCALE.
Confirm all dimensions and fold details on the project drawing.

Product specification

Selection	Available specification
Material	304 stainless steel; 316 available
Profile options	Standard corner protector or tile-over profile
Dimensions	Length, both face widths and material thickness to order
Wall interface	Wall angle, finish build-up and fixing arrangement confirmed before manufacture

Profile and construction notes

Reference drawing Corner Guard Rev01 shows 2 mm 304 stainless steel and 12 mm edge details with 3° kicks. These are reference-profile details, not a universal thickness or stock-size range.


Mounting and interfaces


Confirm the finished wall corner and edge details. Coordinate extended tile-over wings with tile and adhesive build-up before fabrication.

Images are for visual reference only. Actual products and selected options may vary. Refer to the confirmed specification and approved project drawing.

Corner Protection - Reference Views

All dimensions in mm. NOT TO SCALE - use stated dimensions.
Reference configuration only; confirm the selected project drawing before manufacture.





Source drawing notes

1. ALL DIMENSIONS IN MM UNLESS NOTED OTHERWISE
2. REMOVE ALL SHARP EDGES AND DEBURR HOLES
3. SURFACE FINISH N10 UNLESS SPECIFIED OTHERWISE
4. DRAWN TO AS 1100

Reference: Corner-Guard | Source drawing revision 01 | Original drawing retained separately.

Dimensions and Ordering

Stainless Steel Corner Protection | All dimensions in mm

Your project schedule

Information	Requirements to confirm
Quantity and location	Quantity: Location: ____ _____
Overall length L	_____
Face width A	_____
Face width B	_____
Material thickness T	_____
Wall angle	_____
Tile and adhesive build-up, if applicable	_____
Fixing and supply scope	State holes, fixing components and site work required

How to specify

Marko Stainless & Aluminium Corner protection, [standard or tile-over], [length], [face widths A and B], [thickness], [wall angle], [304 or 316], [finish], with [fixing requirements] to the confirmed profile drawing. Refer to MARKO-ANG-SG R02.

What to include with your enquiry

Send a dimensioned sketch, quantity, material and finish selection, site photos if useful, and the relevant wall or floor construction. Identify any required performance and the components you expect to be included. We will confirm the supplied configuration with your quotation.

Before ordering

Check final dimensions, interfaces and selected options against the quotation and project drawing. This family sheet supports product selection; it is not a fabrication or installation drawing and does not replace project-specific approval.

Care: use guidance suitable for the selected material, finish and complete assembly. Aluminium, anodised and coated surfaces need their applicable care instructions; do not apply stainless steel cleaning advice automatically.