
Stainless Steel Bollards

Choose the installation and top style to suit your site. Each bollard is specified with project dimensions and fixing details.

Schematic illustration. NOT TO SCALE.



Product specification

Selection	Available specification
Material	304 stainless steel; 316 available
Installation	Base plate or inground; concealed screw-base and custom arrangements to confirmed details
Top options	Flat or angled top, as selected
Size and finish	Diameter or section, height, wall thickness and finish confirmed for the project

Profile and construction notes

No vehicle-impact or security rating is stated. Where performance is required, provide the design brief for a separately verified product and installation.


Mounting and interfaces

Confirm base or embedment details, fixing access and the site construction. Do not select anchors, footings or embedment from an illustrative render.

Images are for visual reference only. Actual products and selected options may vary. Refer to the confirmed specification and approved project drawing.

Base Plate Bollard - Reference Views

All dimensions in mm. NOT TO SCALE - use stated dimensions.
Reference configuration only; confirm the selected project drawing before manufacture.



Source drawing notes

1. ALL DIMENSIONS IN MM UNLESS NOTED OTHERWISE
2. REMOVE ALL SHARP EDGES AND DEBURR HOLES
3. SURFACE FINISH N10 UNLESS SPECIFIED OTHERWISE
4. DRAWN TO AS 1100

Reference: Base-Plate-Bollard | Source revision 01 | Original drawing retained separately.

Dimensions and Ordering

Stainless Steel Bollards | All dimensions in mm

Your project schedule

Information	Requirements to confirm
Quantity and location	Quantity: Location: ____ _____
Diameter or section	_____
Visible height above finished ground	_____
Overall length and embedment, if applicable	_____
Tube wall thickness	_____
Base dimensions and hole pattern	_____
Top style and finish	_____
Fixing and supply scope	State holes, fixing components and site work required

How to specify

Marko Stainless & Aluminium Bollard, [installation], [diameter or section], [visible height] and [overall length], [wall thickness], [304 or 316], [finish], [top style], to the confirmed base or embedment drawing. Refer to MARKO-BOL-SG R02.

What to include with your enquiry

Send a dimensioned sketch, quantity, material and finish selection, site photos if useful, and the relevant wall or floor construction. Identify any required performance and the components you expect to be included. We will confirm the supplied configuration with your quotation.

Before ordering

Check final dimensions, interfaces and selected options against the quotation and project drawing. This family sheet supports product selection; it is not a fabrication or installation drawing and does not replace project-specific approval.

Care: use guidance suitable for the selected material, finish and complete assembly. Aluminium, anodised and coated surfaces need their applicable care instructions; do not apply stainless steel cleaning advice automatically.