

Island Bench

A freestanding stainless steel bench for access from both sides. Choose the worktop size and storage arrangement to suit your room, equipment and working height.

Construction and Configuration

Item	Selection and Specification
Dimensions	Made to order. Confirm length, depth and finished working height.
Material grade	304 stainless steel; 316 available on request.
Finish	Confirm the required finish with your quotation.
Layout	Flat worktop without a splashback.
Top edge	50 mm finished fascia with a 15 mm inward return for the commercial bench profile.
Frame	32 x 32 mm SHS legs and frame, with adjustable feet.
Storage options	Plain frame; one, two or three solid undershelves, subject to layout confirmation.
Shelf arrangement	Solid shelves run between the uprights. Confirm usable storage height and equipment clearance.

Custom Sizes and Options

Can't find the size or arrangement you need? Send us a dimensioned sketch and we will help work through the options. The quotation and approved project drawing define the configuration supplied.

Supply Scope

Confirm the bench and chosen shelves in the quotation, including the final support layout and usable storage openings.

The selected stainless grade applies to the fabricated bench. Bought-in fittings and feet retain their own specified materials.

Images are for visual reference only. Actual products may vary in size, finish and details. This sheet is for product selection and is not a fabrication or installation drawing.

Island Bench

NOT TO SCALE | Dimensions in mm where shown | Confirm the selected configuration with Marko.

Plan



Plan of one reference configuration. Leg and underframe details are specified separately; confirm the overall dimensions for your project.

Dimensions and Ordering

All dimensions in mm. Identify the front of the bench on your sketch.

Your Configuration

Selection	Details to Provide
Quantity and size	Quantity: Length: Depth: Height: ____ ____ ____ ____
Material and finish	304 / 316; selected surface finish: _____
Top profile	Flat island top; confirm edge profile
Openings and fittings	Special cut-outs only if requested on your drawing
Frame and storage	Plain frame / solid shelves; quantity, height and clear openings
Site requirements	Access constraints, equipment footprint and loading

What to Consider

Provide overall length, depth and working height, access requirements on each side, shelf quantity and required clear openings. Tell us about heavy or concentrated equipment loads.

How to Specify

Marko Stainless & Aluminium island bench, made to the confirmed project dimensions, in the selected 304 or 316 stainless steel grade and finish, with the configuration and fittings itemised in the quotation. Refer to the approved project drawing for dimensions, openings, supports and connections.

Confirm With Your Quotation

- Top thickness, finish and support construction
- Shelf positions and clear openings
- Leg quantity and positions for selected span and loading
- Foot adjustment range and final working height

Send your requirements to sales@markostainless.com.au or call (02) 4956 8968.

For cleaning, warranty or installation requirements, ask Marko for advice specific to the supplied assembly. Confirm floor conditions, final levelling and support requirements before installation.