

Wet Lip Double Bowl Bench

A stainless steel wet bench with two rectangular bowls and a raised edge to help contain spills. Choose a centre, left-hand or right-hand bowl arrangement to suit the space.

Construction and Configuration

Item	Selection and Specification
Dimensions	Made to order. Confirm length, depth and finished working height.
Material grade	304 stainless steel; 316 available on request.
Finish	Confirm the required finish with your quotation.
Top profile	Raised wet edge; confirm the finished lip profile with your quotation.
Splashback	150 mm high; confirm any end returns or custom requirements.
Frame	32 x 32 mm SHS legs and frame, with adjustable feet.
Lower storage	Single-tier SHS drying rack option with five evenly spaced lengthways rails.
Custom options	Lockable cabinet layouts by arrangement; confirm access and service clearances.

Custom Sizes and Options

Can't find the size or arrangement you need? Send us a dimensioned sketch and we will help work through the options. The quotation and approved project drawing define the configuration supplied.

Supply Scope

Confirm the bench, bowls and selected storage in the quotation. Tapware, wastes, traps and site connections must be itemised if required; do not assume they are included.


The selected stainless grade applies to the fabricated bench. Bought-in fittings and feet retain their own specified materials.

Images are for visual reference only. Actual products may vary in size, finish and details. This sheet is for product selection and is not a fabrication or installation drawing.

Wet Lip Double Bowl Bench

NOT TO SCALE | Dimensions in mm where shown | Confirm the selected configuration with Marko.

Benchtop and bowl elevation



Upper bench detail only. Underframe and storage are selected separately; dimensions shown apply to this reference configuration.

Dimensions and Ordering

All dimensions in mm. Identify the front of the bench on your sketch.

Your Configuration

Selection	Details to Provide
Quantity and size	Quantity: Length: Depth: Height: ____ ____ ____ ____
Material and finish	304 / 316; selected surface finish: _____
Top profile	Edge profile; splashback height and end returns
Openings and fittings	Bowl positions, tap holes and waste service requirements
Frame and storage	Plain frame / single-tier drying rack; retain plumbing access
Site requirements	Access constraints; water and waste service positions

What to Consider

Allow room behind the bowls for the selected tapware. Mark bowl centres and tap-hole positions from the front and a named end of the bench. Include waste service positions and clear access beneath each bowl.

How to Specify

Marko Stainless & Aluminium wet lip double bowl bench, made to the confirmed project dimensions, in the selected 304 or 316 stainless steel grade and finish, with the configuration and fittings itemised in the quotation. Refer to the approved project drawing for dimensions, openings, supports and connections.

Confirm With Your Quotation

- Overall size, top thickness, material grade and surface finish
- Bowl model, depth, radius and locations; tap-hole layout
- Tapware, waste and trap inclusions
- Service access and selected storage layout

Send your requirements to sales@markostainless.com.au or call (02) 4956 8968.

For cleaning, warranty or installation requirements, ask Marko for advice specific to the supplied assembly. Plumbing and installation details must be checked for the selected configuration before work begins.