Stainless Steel Wall End Protection

A folded stainless steel guard made to suit the finished wall end. Select the standard profile or a tile-over arrangement coordinated with the surrounding wall finish.



Profile schematic only. NOT TO SCALE.
Confirm all dimensions and fold details on the project drawing.

Product specification

Selection	Available specification
Material	304 stainless steel; 316 available
Profile options	Standard wall-end guard or tile-over profile
Standard profile	Reference arrangement includes lightly kicked edges
Tile-over profile	Stepped returns coordinated with the wall finish

Profile and construction notes

Lengths, widths, side depths and thicknesses are confirmed for the project. The illustration does not define a stock size or a fixing method.


Mounting and interfaces


Measure the finished wall width and coordinate the return details with the wall finish. Confirm whether holes are required and provide their positions.

Images are for visual reference only. Actual products and selected options may vary. Refer to the confirmed specification and approved project drawing.

Wall End Guard - Reference Views

All dimensions in mm. NOT TO SCALE - use stated dimensions.
Reference configuration only; confirm the selected project drawing before manufacture.





Source drawing notes

1. ALL DIMENSIONS IN MM UNLESS NOTED OTHERWISE
2. REMOVE ALL SHARP EDGES AND DEBURR HOLES
3. SURFACE FINISH N10 UNLESS SPECIFIED OTHERWISE
4. DRAWN TO AS 1100

Reference: Wall-End-Guard | Source revision 01 | Original drawing retained separately.

Dimensions and Ordering

Stainless Steel Wall End Protection | All dimensions in mm

Your project schedule

Information	Requirements to confirm
Quantity and location	Quantity: Location: ____ _____
Guard length L	_____
Finished wall width	_____
Side depth A	_____
Side depth B, if different	_____
Material thickness	_____
Tile and adhesive build-up, if applicable	_____
Fixing and supply scope	State holes, fixing components and site work required

How to specify

Marko Stainless & Aluminium Wall end protection, [standard or tile-over], [length], [finished wall width], [side depths], [thickness], [304 or 316], [finish], with [fixing requirements] to the confirmed drawing. Refer to MARKO-WE-SG R02.

What to include with your enquiry

Send a dimensioned sketch, quantity, material and finish selection, site photos if useful, and the relevant wall or floor construction. Identify any required performance and the components you expect to be included. We will confirm the supplied configuration with your quotation.

Before ordering

Check final dimensions, interfaces and selected options against the quotation and project drawing. This family sheet supports product selection; it is not a fabrication or installation drawing and does not replace project-specific approval.

Care: use guidance suitable for the selected material, finish and complete assembly. Aluminium, anodised and coated surfaces need their applicable care instructions; do not apply stainless steel cleaning advice automatically.