CUSTOMER APPROVAL

AJ's Stainless Pty Ltd trading as Marko Stainless & Aluminium
(02) 4956 8968 | sales@markostainless.com.au
www.markostainless.com.au

ASSDA ACCREDITED

MARKO STAINLESS & ALUMINIUM

619 WASH AND DRINKING TROUGHS

1. Drawing and dimensions


COMPLETE FOR APPROVAL | NOT FOR FABRICATION

BLANK TEMPLATE R05 | ALL DIMENSIONS IN mm

PROJECT / SITE

QUOTE / REFERENCE (OPTIONAL)

DIMENSION MAP - NOT AN ORDER DRAWING



A: LEFT END B: REAR EDGE OUTLET / FLOOR PER ORDER DRAWING

SECTION - SELECTED PROFILE REQUIRED



ORDER CONFIGURATION

A619 uses wash taps; B619 uses bubblers. D619 includes at least one bottle filler. Confirm C619 before selection.

Select centre, left or right outlet from the front. All outlets are pressed for plug and waste. Record exactly one rear-edge option.

Exact model / variant

Family options: A619, B619, C619, D619.

Overall length L (mm)

Overall width W (mm)

Height / depth H / D (mm)

Choose from our standard range, or have a custom length made to order. We fabricate our troughs in our workshop and can discuss adjustments to suit your project. Final dimensions, feasibility and inclusions require quotation and project-drawing confirmation.

Selected material / grade / thickness (mm) / finish

Replace this map with actual order views before issue. Form entries do not redraw geometry.

REFERENCE	DRAWING NO.	REVISION	DATE	PAGE	SCALE
				1 of 3	NOT TO SCALE

CUSTOMER APPROVAL

AJ's Stainless Pty Ltd trading as Marko Stainless & Aluminium
(02) 4956 8968 | sales@markostainless.com.au
www.markostainless.com.au

ASSDA ACCREDITED

MARKO STAINLESS & ALUMINIUM

619 WASH AND DRINKING TROUGHS

2. Product selections and interfaces

COMPLETE FOR APPROVAL | NOT FOR FABRICATION

BLANK TEMPLATE R05 | ALL DIMENSIONS IN mm

PROJECT / SITE

QUOTE / REFERENCE (OPTIONAL)

Original profile / drawing ID and revision

Required length / finished width / depth (mm)

A619 / B619 / D619 fitting IDs and quantities

Fitting centres X from Datum A (mm)

Hole diameters / Y from rear Datum B (mm)

Outlet: centre / left / right from front

Outlet / pressed seat / connection / X and Y (mm)

Rear edge - SELECT ONE: 15 up / 15 down / 300 up

Brackets / fixings / selected guard

Bare / pre-plumbed and supplied components

Mirror / arrestor / dolly if separately quoted

Water services / installation responsibility

Additional selection notes / variations to the quotation

REFERENCE	DRAWING NO.	REVISION	DATE	PAGE	SCALE
				2 of 3	NOT TO SCALE

CUSTOMER APPROVAL

AJ's Stainless Pty Ltd trading as Marko Stainless & Aluminium
(02) 4956 8968 | sales@markostainless.com.au
www.markostainless.com.au

ASSDA ACCREDITED

MARKO STAINLESS & ALUMINIUM

619 WASH AND DRINKING TROUGHS

3. Scope and customer approval

COMPLETE FOR APPROVAL | NOT FOR FABRICATION

BLANK TEMPLATE R05 | ALL DIMENSIONS IN mm

PROJECT / SITE

QUOTE / REFERENCE (OPTIONAL)

Customer / company

Contact name / details

Quantity

Quote item

Included in this supply

Excluded / supplied or installed by others

Approval attachments: drawing / document number, revision and page count

CONFIRM BEFORE APPROVAL

- [ ] Outlet, pressed seat and drainage agree
- [ ] One rear-edge option recorded
- [ ] Fitting IDs and centres match drawing
- [ ] Guard and support interfaces checked

All three sheets and listed attachments form one approval set. Complete all selections; mark non-applicable items N/A. Blank or conflicting details require resolution before issue.

Marko technical check / fabrication or supply release reference

CUSTOMER RESPONSE - SELECT ONE

- [ ] Approved as drawn
- [ ] Changes required - revise and reissue

Approver name / authority

Approved revision

Signature

Date signed

Changes require a revised drawing and fresh approval. Customer approval does not replace Marko technical checking and release.