CUSTOMER APPROVAL

AJ's Stainless Pty Ltd trading as Marko Stainless & Aluminium
(02) 4956 8968 | sales@markostainless.com.au
www.markostainless.com.au

ASSDA ACCREDITED

MARKO STAINLESS & ALUMINIUM

TG96 TROUGH GUARD

1. Drawing and dimensions


COMPLETE FOR APPROVAL | NOT FOR FABRICATION

BLANK TEMPLATE R05 | ALL DIMENSIONS IN mm

PROJECT / SITE

QUOTE / REFERENCE (OPTIONAL)

DIMENSION MAP - NOT AN ORDER DRAWING



Show lock, tapware and installation clearances.

ORDER CONFIGURATION

TG96 is usually supplied pre-fitted to B619 or D619. It can also be supplied separately to retrofit an existing trough.

For retrofit, record the actual trough dimensions, tapware envelope and fixing details. Confirm fit before supply.

Exact model / variant

Family options: TG96.

Marko fabricates troughs in our workshop, with standard and made-to-order length enquiries welcome. For TG96, request a fit review for the selected trough and proposed adjustments. Final guard dimensions, feasibility and inclusions require quotation and project-drawing confirmation.

Replace this map with actual order views before issue. Form entries do not redraw geometry.

Overall length L (mm)

Overall width W (mm)

Height / depth H / D (mm)

Selected material / grade / thickness (mm) / finish

REFERENCE	DRAWING NO.	REVISION	DATE	PAGE	SCALE
				1 of 3	NOT TO SCALE

CUSTOMER APPROVAL

AJ's Stainless Pty Ltd trading as Marko Stainless & Aluminium
(02) 4956 8968 | sales@markostainless.com.au
www.markostainless.com.au

ASSDA ACCREDITED

MARKO STAINLESS & ALUMINIUM

TG96 TROUGH GUARD

2. Product selections and interfaces

COMPLETE FOR APPROVAL | NOT FOR FABRICATION

BLANK TEMPLATE R05 | ALL DIMENSIONS IN mm

PROJECT / SITE

QUOTE / REFERENCE (OPTIONAL)

Supply: pre-fitted / separate retrofit

Existing or new trough model / revision

Required guard length / actual trough length

Trough width / rim / rear-edge profile (mm)

Closed and fully open clearance (mm)

Bubbler / bottle filler models and positions

Hinge side / hinge detail / clearances

Lock / keying / supplied hardware

Fixing holes / mounting interface (mm)

Guard material / finish / support materials

Photos / measured drawing references

Supply and site installation inclusions

Additional selection notes / variations to the quotation

CUSTOMER APPROVAL

AJ's Stainless Pty Ltd trading as Marko Stainless & Aluminium
(02) 4956 8968 | sales@markostainless.com.au
www.markostainless.com.au

ASSDA ACCREDITED

MARKO STAINLESS & ALUMINIUM

TG96 TROUGH GUARD

3. Scope and customer approval

COMPLETE FOR APPROVAL | NOT FOR FABRICATION

BLANK TEMPLATE R05 | ALL DIMENSIONS IN mm

PROJECT / SITE

QUOTE / REFERENCE (OPTIONAL)

Customer / company

Contact name / details

Quantity

Quote item

Included in this supply

Excluded / supplied or installed by others

Approval attachments: drawing / document number, revision and page count

CONFIRM BEFORE APPROVAL

- ☐ Exact trough and guard fit confirmed
- ☐ Tapware clears closed and open guard
- ☐ Hinge / lock / hardware scope recorded
- ☐ Retrofit measurements and fixings checked

All three sheets and listed attachments form one approval set. Complete all selections; mark non-applicable items N/A. Blank or conflicting details require resolution before issue.

Marko technical check / fabrication or supply release reference

CUSTOMER RESPONSE - SELECT ONE

- ☐ Approved as drawn
- ☐ Changes required - revise and reissue

Approver name / authority

Approved revision

Signature

Date signed

Changes require a revised drawing and fresh approval. Customer approval does not replace Marko technical checking and release.